

SC Stivuitoare-Lize SRL

Telefon: 0040 744 136 717

Email: office@stivuitoare-lize.ro

Website: <http://stivuitoare-lize.ro/>

Comuna Corunca, Str. Principala, nr. 412-413, judet Mures, Romania

Motor electric tractiune stivuitor 14V, 135A Juli, 2.3kw

JULY

Typ AF 4G3-L1-1

Δ 14 V

166 A

3,0 kW

S2-60min

2040 min⁻¹

IP 00/IP44

71 Hz

Isol. Kl. F

EN 1175

333

Fab. Nr.

12452585



0039761142

Id.- Nr. 1011122




12452585




JOLI
SERIAL NO. 50015601027
DATE 21/12/82
123

JOLI
SERIAL NO. 1911033
DATE 21/12/82



JULI
Typ: AE 4E-B21
Id. Nr.: 1011199
U: 14 V
I: 135 A
P: 2.3 kW
n: 3450 mm³/lp 007P4
f: 120Hz
Isol. Kl. F
EN 1175
143

JULI
JULI No.: 1911033
STILL ref.: 50012601027
STILL ref.: S14346902
JULI Fabr. Nr.: S14346902

| | | |
|------------------------------------------------------------------------------------|-------------|------------------------|
| JULI | | 0039761147 |
| Typ | AF 4F6-B2-1 | Id.-Nr. 1011199 |
| Δ | 14 V | 135 A |
| | 2,3 kW | S2-60 |
| Fab. Nr. | 14342830 | 3450 min ⁻¹ |
| EN 1175 | 43 | 120Hz |
| | | IP 00/IP44 |
| | | Isol. Kl. F |
|  | | |

| | | |
|----------------|-------------------------------------------------------------------------------------|-------------|
| JULI | JULI Nr.: | 1911033 |
| STILL ref. | STILL ref.: | 50012601027 |
| S14346902 |  | |
| JULI Fabr. Nr. |  | |



JULI
Typ AF 4G3-L1-1
14 V | 166 A
3.0 kW | S2-60min
EN 1175 33

0633761142
Id.-Nr. 1011122
2040 min⁻¹ | IP 00/PI4
71 Hz | Isol. Kl. F
12452556

JULY

Typ AF 4G3-L1-1

Δ 14 V

166 A

3,0 kW

S2-60min

2040 min⁻¹

IP 00/IP44

71 Hz

Isol. Kl. F

EN 1175

333

Fab. Nr.

12452585



0039761142

Id.- Nr. 1011122




12452585




JOLI
SERIAL NO. 50015601027
DATE 11/23

JOLI
SERIAL NO. 1911033
DATE 01/23



JULI
Typ: AE 4E-B21
Id. Nr.: 1011199
U: 14 V
I: 135 A
P: 2.3 kW
S: S2-60
V: 3450 mm³/lp 007P4
f: 120Hz
Isol. Kl. F
EN 1175
143

JULI
JULI No.: 1911033
STILL ref.: 50012601027
S14346902
JULI Fabr. Nr.:

| | | |
|------------------------------------------------------------------------------------|-------------|------------------------|
| JULI | | 0039761147 |
| Typ | AF 4F6-B2-1 | Id.-Nr. 1011199 |
| Δ | 14 V | 135 A |
| | 2,3 kW | S2-60 |
| Fab. Nr. | 14342830 | 3450 min ⁻¹ |
| EN 1175 | 43 | 120Hz |
| | | IP 00/IP44 |
| | | Isol. Kl. F |
|  | | |

| | | |
|----------------|-------------------------------------------------------------------------------------|-------------|
| JULI | JULI Nr.: | 1911033 |
| STILL ref. | STILL ref.: | 50012601027 |
| S14346902 |  | |
| JULI Fabr. Nr. |  | |

Motor e

ite

JULI

| | | |
|--------------|------------|-----------------------------------|
| AF 4F6-B2-1 | 0039761147 | Id. Nr. 1011199 |
| 14 V | 135 A | 3450 min ⁻¹ IP 00/PP44 |
| 3,3 kW | S2-60 | 120Hz Isol. Kl. F |
| Nr. 14342830 | | |
| 1175 | 43 | |



JULI

JULI Nr.: 1911033

STILL ref.: 50012601027

S14346902

JULI Fabr. Nr.



factura






SPECIFICATIONS

| | |
|---------------------------------------|------|
| Total length [mm] | 338 |
| Length of the armature housing [mm] | 205 |
| Diameter of the armature housing [mm] | 190 |
| Front flange | NO |
| Type shaft front | X |
| Type shaft rear | T |
| Number of plugs | 4 |
| Cooling fan | none |
| Minimum voltage U1 [V] | 14 |

| | |
|-----------------------------|---------------------------------------|
| Current [ampere] [A] | 135 |
| Revolutions/Minute [tr/min] | 3450 |
| Power [kW] | 2.3 |
| Motor type | traction motor |
| Insulation grade [IP] | 44 |
| Insulation class | F |
| Frequency [Hz] | 120 |
| Brief operation S2 [min] | 60 |
| Sort of electric motor | multi-phase alternating current motor |



SC Stivuitoare-Lize SRL

Telefon: 0040 744 136 717

Email: office@stivuitoare-lize.ro

Website: <http://stivuitoare-lize.ro/>

Comuna Corunca, Str. Principala, nr. 412-413, judet Mures, Romania