

SC Stivuitoare-Lize SRL

Telefon: 0040 744 136 717

Email: office@stivuitoare-lize.ro

Website: <http://stivuitoare-lize.ro/>

Comuna Corunca, Str. Principala, nr. 412-413, judet Mures, Romania

Jante 4.33-8 stivuator-motostivuator si electrostivuator 2059-1





4.33R-8
ET 40

111011A
800112108
111011A





20F9





SPECIFICATIONS

Type of Wheel	3 piece rim with flange
Wheel diameter D1 (inch)	8
Wheel width B1 (inch)	4 1/3
Interior diameter D2 (mm)	110
Distance L1 (mm)	116
Flange thickness L2 (mm)	10


Number fixation holes	7
Type fixation holes	1 side spherical
Center distance (C) (mm)	145
Diameter D3 (mm)	18.5
Diameter D4 (mm)	24

Jante 4.33-8 stiv



Se emite factura









SPECIFICATIONS


Type of Wheel	3 piece rim with flange	Number fixation holes	7
Wheel diameter D1 (inch)	8	Type fixation holes	1 side spherical
Wheel width B1 (inch)	4 1/3	Center distance [C] (mm)	145
Interior diameter D2 (mm)	110	Diameter D3 (mm)	18.5





Rim width	Rim diameter	Tyre size	Centre hole	Pitch circle	Number of holes	Diameter of stud holes	Flange position	Used for
B1	D1		D2 mm	c mm	G	mm		
2.50	4	4.00-4	52	68	5	8,0	Half	Komatsu – Pimespo – OM
3.00	8	4.00-8	85	130	5	19,0	Half	Clark
		5.00-8	110	140	5	18,5	Half	Hyster
		125/75-8	86	114	6	15,0	Half	Toyota
		15x4.5-8	100	125	6	16,0	Half	Various
			110	148	6	15,0	Half	Various
4.33	8	16x6-8	95	135	5	17,5	124	Various
		150/75-8	110	145	5	18,5	Half	Hyster
		18x7-8	110	147	5	17,5	122	Various
		180/70-8	90	130	6	17,5	89	Various
			96	136	6	17,5	121	TCM
			100	140	6	17,5	50	Komatsu
			105	142	6	18,0	Half	Toyota
4.00	9	6.00-9	124	165	5	17,0	Half	Yale – Hyster
		140/55-9	140	170	6	18,0	Half	Various
			150	180	6	18,0	Half	Various
			130	160	8	16,5	Half	Various
			142	170	8	16,0	Half	Various
5.00	10	6.50-10	127	165	5	16,0	Half	Yale – Hyster
		7.50-10	140	170	6	18,0	Half	Various
			150	180	6	18,0	Half	Daewoo
			150	180	6	18,0	Half	Various
			170	200	6	17,0	Half	Caterpillar
			130	160	8	17,0	Half	TCM
			142	170	8	16,0	Half	Various
			105	140	10	18,5	Half	Hyster
5.00	12	7.00-12	149,3	203,2	5	32,0	Half	Yale – Hyster
			175	220	5	27,0	Half	Various
			150	200	6	27,0	Half	Various
			166	218	6	32,0	Half	Yale – Hyster
			170	220	6	27,0	Half	Various
			170	220	6	32,0	Half	Various
			145	190	8	26,0	Half	Toyota

Rim width	Rim diameter	Tyre sizes			
B1	D1				
3.00	8	4.00-8	5.00-8	125/75-8	15x4.5-8
3.25	8	4.00-8	5.00-8	15x4.5-8	
3.75	8	4.00-8	5.00-8		
4.33	8	16x6-8	150/75-8	18x7-8	180/70-8
7.00	8	18x9-8			
4.00	9	6.00-9	140/55-9		
6.00	9	21x8-9	200/75-9		
5.00	10	6.50-10	7.50-10	180/60-10	
6.50	10	23x9-10	225/75-10	200/50-10	
3.00	12	4.50-12			
5.00	12	7.00-12	5.70-12		
8.00	12	27x10-12	23x10-12		
3.75	13	25x6	23x5		
4.50	15	5.50-15	6.00-15		
5.50	15	7.00-15			
6.00	15	7.50-15	7.00-15		
6.50	15	200-15	7.50-15	8.25-15	
7.00	15	250-15	28x9-15	8.15-15	225/75-15
7.50	15	250-15	10.00-15		
8.00	15	300-15			
9.75	15	355/65-15	28x12.5-15	355/45-15	
6.00	16	7.50-16			
6.50	20	8.25-20	9.00-20		
7.00	20	9.00-20	10.00-20		
7.50	20	10.00-20	11.00-20		
8.00	20	10.00-20	11.00-20	12.00-20	
8.50	20	12.00-20			
10.00	20	12.00-20			
8.50	24	12.00-24			
10.00	24	14.00-24			



SC Stivuitoare-Lize SRL

Telefon: 0040 744 136 717

Email: office@stivuitoare-lize.ro

Website: <http://stivuitoare-lize.ro/>

Comuna Corunca, Str. Principala, nr. 412-413, judet Mures, Romania