



SC Stivuitoare-Lize SRL

Telefon: 0040 744 136 717

Email: office@stivuitoare-lize.ro

Website: <http://stivuitoare-lize.ro/>

Comuna Corunca, Str. Principala, nr. 412-413, judet Mures, Romania

Catarg/Mast stivuitor Hyster triplex 1,6-2 tone cu ridicare libera si translatie FEM II(41cm) (1527, 1528)



A555A2511Y
4460



1528









MODEL
MODELE

SST-00-2.50 0907-1399037

MODELO

SERIAL NUMBER
NO. DE SERIE
SERIENNUMMER
NUMERO DE SERIE

B601

3 2 9 2 3

0907

WEIGHT
POIDS
MASSE
PESO

086 kg

MAXIMUM ATTACHMENT CAPACITY
CAPACITÉ MAXIMALE DE L'ACCESSOIRE
ANBAUGERÄT MAX TRAGKRAFT
CAPACIDAD MÁXIMA DEL ACCESORIO

2500 kg

AT LOAD CENTER
A UN CENTRE DE CHARGE DE
BEI LASTSCHWERPUNKT
A CENTRO DE CARGA

500 mm

CENTER OF GRAVITY FROM ATTACHMENT MOUNTING FACE
CENTRE DE GRAVITE A PARTIR DE LA FACE DE MONTAGE DE L'ACCESSOIRE
ANBAUGERÄT SCHWERPUNKT AB MONTAGEFLÄCHE
DISTANCIA AL CENTRO DE GRAVEDAD DEL ACCESORIO AL TABLERO PORTAHORQUILLAS

21 mm

RECOMMENDED OPERATING PRESSURE
PRESSION D'UTILISATION RECOMMANDÉE
ANBEFOHLEN ARBEITSDRUCK
PRESION OPERATIVA RECOMENDADO

207 bar

MAXIMUM
MAXIMO

241 bar

YR 01

WARNING

ATTENTION

ACHTUNG

AVISO

CAPACITY OF TRUCK AND ATTACHMENT COMBINATION MAY BE LESS THAN ATTACHMENT
CAPACITY SHOWN. CONTACT YOUR HYSTER LIFT TRUCK DEALER FOR CAPACITY INFORMATION
LA CAPACITÉ DE LA COMBINAISON CHARIOT ET ACCESSOIRE PEUT ÊTRE INFÉRIEURE À CELLE
DE L'ACCESSOIRE. VEUILLEZ CONSULTER VOTRE CONCESSIONNAIRE CHARIOTS ÉLEVATEURS
HYSTER POUR TOUTES INFORMATIONS SUR LA CAPACITÉ.

TRAGFÄHIGKEIT DER STAPLER ANBAUGERÄTKOMBINATION KANN NIEDRIGER SEIN ALS DIE
ANGEGEBENE ANBAUGERÄTTRAGFÄHIGKEIT. BEACHTEN SIE DAS STAPLER TYPENSCHILD. IHR
HYSTER-HANDLER INFORMIERT SIE ÜBER TRAGFÄHIGKEITEN.

LA CAPACIDAD COMBINADA DE LA CARRETILLA Y EL ACCESORIO PUEDE SER MENOS QUE LA
QUE SE MUESTRA EN LA CAPACIDAD DEL ACCESORIO. CONSULTE LA PLACA DE LA
CARRETILLA. CONSULTE A SU DISTRIBUIDOR HYSTER, SI PRECISA INFORMACION ADICIONAL
SOBRE CAPACIDAD.

MANUFACTURED IN

UNITED STATES

NORTHERN IRELAND

HYSTER COMPANY

CE

1397232 1









Catarg/Mast stivuitor Hyster triplex 1,6-2 tone cu ridicare libera si translatie FEM II(41cm) Cod intern 1527, 1528 Înălțime catarg: 1.90 m Înălțime de ridicare: 4.46 m Se emite factura Pret: 2200€ fara TVA





MODEL / MODELE: SS1.00-2.50 0907-139903

SERIAL NUMBER / NO. DE SERIE / SERIEN NUMMER / NUMERO DE SERIE: B601 32923

MODELO: 0907

WEIGHT / POIDS / MASSE / PESO: 086 kg

MAXIMUM ATTACHMENT CAPACITY / CAPACITE MAXIMALE DE L'ACCESSOIRE / ANBAUGERAT MAX TRACKKRAFT / CAPACIDAD MAXIMA DEL ACCESORIO: 2500 kg

CENTER OF GRAVITY FROM MOUNTING MOUNTING FACE / DISTANCE FROM MOUNTING FACE / DISTANCE FROM MOUNTING FACE / DISTANCE FROM MOUNTING FACE: 500 mm

RECOMMENDED OPERATING PRESSURE / PRESSION D'UTILISATION RECOMMANDEE / ANBEFOHLEN ARBEITSDRUCK / PRESION OPERATIVA RECOMENDADO: 207 bar

WARNING: CAPACITY OF TRUCK AND MAXIMUM: 241 bar


YB



A555A2511Y
4460







SC Stivuitoare-Lize SRL
Telefon: 0040 744 136 717
Email: office@stivuitoare-lize.ro
Website: <http://stivuitoare-lize.ro/>
Comuna Corunca, Str. Principala, nr. 412-413, judet Mures, Romania