



SC Stivuitoare-Lize SRL

Telefon: 0040 744 136 717

Email: office@stivuitoare-lize.ro

Website: <http://stivuitoare-lize.ro/>

Comuna Corunca, Str. Principala, nr. 412-413, judet Mures, Romania

**Cilindrii hidraulici stivuator Still SN: 4399506 (458,
464)**

04399506

08 9.6 H



464



458





02612



04399506

09 99H



04399506

09 99H





— SPECIFICATIONS

Type of Cylinder	tilt cylinder or double-acting
Type of Base	type U
Diameter D2 (mm)	25
Length L2 (mm)	25
Type of Tube	inner thread
Diameter D3 (mm)	77

Type of Piston Shaft	piston head-outer thread
Diameter D4 (mm)	25
Type of Thread Ta3	M24
Length L5 (mm)	415
Stroke Piston Shaft (mm)	97

Cilindrii - SPECIFICATIONS

Type of Cylinder	tilt cylinder or double-acting	Type of Piston Shaft	piston head-outer thread
Type of Base	type U	Diameter D4 (mm)	25
Diameter D2 (mm)	25	Type of Thread Ta3	M24
Length L2 (mm)	25	Length L5 (mm)	415
Type of Tube	inner thread	Stroke Piston Shaft (mm)	97
Diameter D3 (mm)	77		


TVA/set



04399506

09 09 H





SC Stivuitoare-Lize SRL

Telefon: 0040 744 136 717

Email: office@stivuitoare-lize.ro

Website: <http://stivuitoare-lize.ro/>

Comuna Corunca, Str. Principala, nr. 412-413, judet Mures, Romania