



SC Stivuitoare-Lize SRL

Telefon: 0040 744 136 717

Email: office@stivuitoare-lize.ro

Website: <http://stivuitoare-lize.ro/>

Comuna Corunca, Str. Principala, nr. 412-413, judet Mures, Romania

**Cilindri hidraulici stivuator Jungheinrich SN:
52024074 (479)**



AHM-119755
52024074

SPECIFICATIONS

Type of Cylinder	tilt cylinder or double-acting
Type of Base	type T
Diameter D2 (mm)	35
Length L2 (mm)	30
Type of Tube	inner thread
Diameter D3 (mm)	77


Type of Piston Shaft	piston head-outer thread
Diameter D4 (mm)	32
Type of Thread Ta3	M26
Length L5 (mm)	460
Stroke Piston Shaft (mm)	100

Cilind - SPECIFICATIONS

Type of Cylinder	tilt cylinder or double-acting
Type of Base	type T
Diameter D2 (mm)	35
Length L2 (mm)	30
Type of Tube	inner thread
Diameter D3 (mm)	77

Type of Piston Shaft	piston head-outer thread
Diameter D4 (mm)	32
Type of Thread Ta3	M26
Length L5 (mm)	460
Stroke Piston Shaft (mm)	100

TVA





SC Stivuitoare-Lize SRL

Telefon: 0040 744 136 717

Email: office@stivuitoare-lize.ro

Website: <http://stivuitoare-lize.ro/>

Comuna Corunca, Str. Principala, nr. 412-413, judet Mures, Romania