

SC Stivuitoare-Lize SRL


Telefon: 0040 744 136 717


Email: office@stivuitoare-lize.ro

Website: <http://stivuitoare-lize.ro/>

Comuna Corunca, Str. Principala, nr. 412-413, judet Mures, Romania

Pompa hidraulica stivuator SN: 612281781 (133)







08504

10580

18

1080-080


1080-080

133

279

Pompa hidraulica stivuator SN: 612281781 Cod intern: 133 Se emite factura Pret: 200€ fara TVA






SPECIFICATIONS

Type of pump	gearpump
Number of elements	1
Type of flange	type E
Diameter of flange mounting holes D1 (mm)	12
Center distance of mounting holes flange C1 (mm)	60
Center distance of mounting holes flange C2 (mm)	60
Total length of pump L1 (mm)	96.6
Neck diameter D2 (mm)	52
Type of shaft	type B
Diameter of shaft D3 (mm)	17
Key (way) width W (mm)	8
Direction of rotation	counterclockwise
Position of suction port 1st element, only for pump type T POS-C01	side

Type of connections suction port 1st element, only for pump type T TY-C0a	type A
Thread type of connections suction 1st element	M6
Center distance between mounting holes C-C01a (mm)	40
Position of pressure 1st element, only for pump type T POS-C02	side
Type of connections pressure 1st element, only for pump type T TY-C0b	type A
Thread type of connection pressure port 1st element TA-C0b	M6
Center distance between mounting holes C-C01b (mm)	35
Flow control valve present	NO
Material of the housing	aluminium



SC Stivuitoare-Lize SRL
 Telefon: 0040 744 136 717
 Email: office@stivuitoare-lize.ro
 Website: <http://stivuitoare-lize.ro/>
 Comuna Corunca, Str. Principala, nr. 412-413, judet Mures, Romania