



SC Stivuitoare-Lize SRL

Telefon: 0040 744 136 717

Email: office@stivuitoare-lize.ro

Website: <http://stivuitoare-lize.ro/>

Comuna Corunca, Str. Principala, nr. 412-413, judet Mures, Romania

Cilindrii hidraulici de inclinare stivuitor Linde (1778, 1780)



1178



654830

392.440.8020 4063

Side

829

21 4 063

1780

Linde
654829
392.440.80.21 4.063

Linde
654830
392.440.80.20 4.063

1700

— SPECIFICATIONS

Type of Cylinder	tilt cylinder or double-acting
Type of Base	type T
Diameter D2 (mm)	58
Length L2 (mm)	30
Type of Tube	circlip fixing
Diameter D3 (mm)	53

Type of Piston Shaft	piston head-outer thread
Diameter D4 (mm)	32
Type of Thread Ta3	M27
Length L5 (mm)	915
Stroke Piston Shaft (mm)	545

Cilindrii – SPECIFICATIONS

Type of Cylinder	tilt cylinder or double-acting
Type of Base	type T
Diameter D2 (mm)	58
Length L2 (mm)	30
Type of Tube	circlip fixing
Diameter D3 (mm)	53

Type of Piston Shaft	piston head-outer thread
Diameter D4 (mm)	32
Type of Thread Ta3	M27
Length L5 (mm)	915
Stroke Piston Shaft (mm)	545

TVA/set





1578





SC Stivuitoare-Lize SRL

Telefon: 0040 744 136 717

Email: office@stivuitoare-lize.ro

Website: <http://stivuitoare-lize.ro/>

Comuna Corunca, Str. Principala, nr. 412-413, judet Mures, Romania