



SC Stivuitoare-Lize SRL

Telefon: 0040 744 136 717

Email: office@stivuitoare-lize.ro

Website: <http://stivuitoare-lize.ro/>

Comuna Corunca, Str. Principala, nr. 412-413, judet Mures, Romania

Cilindrii hidraulici de inclinare stivuitor Linde (1778, 1780)



1178



654830

392.440.8020 4063

Side

829

21 4 063

1780

Linde
654829
392.440.80.21 4.063

Linde
654830
392.440.80.20 4.063

1700

— SPECIFICATIONS

Type of Cylinder	tilt cylinder or double-acting
Type of Base	type T
Diameter D2 (mm)	58
Length L2 (mm)	30
Type of Tube	circlip fixing
Diameter D3 (mm)	53

Type of Piston Shaft	piston head–outer thread
Diameter D4 (mm)	32
Type of Thread Ta3	M27
Length L5 (mm)	915
Stroke Piston Shaft (mm)	545

Cilindrii – SPECIFICATIONS

Type of Cylinder	tilt cylinder or double-acting
Type of Base	type T
Diameter D2 (mm)	58
Length L2 (mm)	30
Type of Tube	circlip fixing
Diameter D3 (mm)	53

Type of Piston Shaft	piston head-outer thread
Diameter D4 (mm)	32
Type of Thread Ta3	M27
Length L5 (mm)	915
Stroke Piston Shaft (mm)	545

TVA/set





1578





SC Stivuitoare-Lize SRL

Telefon: 0040 744 136 717

Email: office@stivuitoare-lize.ro

Website: <http://stivuitoare-lize.ro/>

Comuna Corunca, Str. Principala, nr. 412-413, judet Mures, Romania