



SC Stivuitoare-Lize SRL

Telefon: 0040 744 136 717

Email: office@stivuitoare-lize.ro

Website: <http://stivuitoare-lize.ro/>

Comuna Corunca, Str. Principala, nr. 412-413, judet Mures, Romania

Pozitionare de lame si rotator 360°, 3.5 tone FEM III Meyer An 2018





Tel. +49 5341 803-0

Tragfähigkeit der Kombination von Stapler und Anbaugerät einhalten. Capacity of truck and attachment combination may be less than capacity shown on attachment. Consult truck capacity plate.

Baujahr · Year 2018 Typ · Type 5-2507F-Z
Serien Nr. · Serial No. ME052139
Tragfähigkeit · Capacity 3500 kg
Lastschwerpunkt · Load Centre 500 mm
Eigengewicht · Mass 570 kg
Eigenschwerpunkt · C.o.G. 165 mm
Vorbaumaß · Lost Load Centre 261 mm
Hydr. Arbeitsdruck max · Operating press. max 120 bar
Werk Nr.



D/E










Image not found or type unknown



Pozitionare de lame si rotator 360°, 3.5 tone FEM III Meyer An 2018 Lungime: 1200 mm Lungime lame: 1080mm Se emite factura Pret: 4800€ fara TVA





49 521 121-0
ion von Stapler und
acity of truck and
by be less than
ent. Consult Truck

Baujahr · Year	2018	Typ · Type	5-2507F-Z
Serien Nr. · Serial No.	ME052139		
Tragfähigkeit · Capacity			3500 kg
Lastschwerpunkt · Load Centre			500 mm



Telefon: 0040 744 136 717

Email: office@stivuitoare-lize.ro

Website: <http://stivuitoare-lize.ro/>

Comuna Corunca, Str. Principala, nr. 412-413, judet Mures, Romania