



SC Stivuitoare-Lize SRL

Telefon: 0040 744 136 717

Email: [office@stivuitoare-lize.ro](mailto:office@stivuitoare-lize.ro)

Website: <http://stivuitoare-lize.ro/>

Comuna Corunca, Str. Principala, nr. 412-413, judet Mures, Romania

## Pozitionare de lame si rotator 360°, 3.5 tone FEM III Meyer An 2018

---







Tel. +49 5341 803-0

Tragfähigkeit der Kombination von Stapler und Anbaugerät einhalten. Capacity of truck and attachment combination may be less than capacity shown on attachment. Consult truck capacity plate.

Baujahr · Year 2018 Typ · Type 5-2507F-Z  
Serien Nr. · Serial No. ME052139  
Tragfähigkeit · Capacity 3500 kg  
Lastschwerpunkt · Load Centre 500 mm  
Eigengewicht · Mass 570 kg  
Eigenschwerpunkt · C.o.G. 165 mm  
Vorbaumaß · Lost Load Centre 261 mm  
Hydr. Arbeitsdruck max · Operating press. max 120 bar  
Werk Nr.



D/E


















Image not found or type unknown





Pozitionare de lame si rotator 360°, 3.5 tone FEM III Meyer An 2018 Lungime: 1200 mm Lungime lame: 1080mm Se emite factura Pret: 4800€ fara TVA







49 521 121-0  
ion von Stapler und  
acity of truck and  
y be less than  
ent. Consult Truck

Baujahr · Year	2018	Typ · Type	5-2507F-Z
Serien Nr. · Serial No.	ME052139		
Tragfähigkeit · Capacity			3500 kg
Lastschwerpunkt · Load Centre			500 mm







Telefon: 0040 744 136 717

Email: [office@stivuitoare-lize.ro](mailto:office@stivuitoare-lize.ro)

Website: <http://stivuitoare-lize.ro/>

Comuna Corunca, Str. Principala, nr. 412-413, judet Mures, Romania