



SC Stivuitoare-Lize SRL

Telefon: 0040 744 136 717

Email: office@stivuitoare-lize.ro

Website: <http://stivuitoare-lize.ro/>

Comuna Corunca, Str. Principala, nr. 412-413, judet Mures, Romania

Incarcator stivuator 24V 30A (1982)



AQ - TRON HF
BATTERY CHARGER

MODEL	HBF900-24
PART No.	AQHF24-30 FC
INPUT	AUTO SELECTABLE AC INPUT 100-240V 50/60Hz 12-6A
OUTPUT	24V 30A 900WATT
Charging curves for open lead-acid, gel and AGM	
Distributed by BATTERY SUPPLIES N.V.	
Manufactured by Signet Systems	
www.batterysupplies.be	



OPERATING STATUS

STEADY (GREEN)	CHARGE COMPLETE
STEADY (RED)	UNDER 80% CHARGED
STEADY (YELLOW)	OVER 80% CHARGED
FLASHING (RED)	FAULT (SEE MANUAL)

FAULT CODES

- FLASH-1 OUTPUT CONNECTION (OPEN, SHORTED, TOO HIGH OR POLARITY REVERSED)
- FLASH-2 CHARGER TIMED OUT OR BATTERY PACK PROBABLY BAD
- FLASH-RED, GREEN (ALTERNATELY) WRONG BATTERY TYPE SELECTION

CAUTION: **0417130188**
ALL LED'S MUST BE OFF BEFORE
CONNECTING TO AC POWER

1982

A close-up photograph of a red metal surface, possibly a piece of machinery or a vehicle. A white tag is attached to the surface by a white braided cable. The tag has the number "19882" printed on it in large, bold, black digits. The background is a dark, textured surface, likely asphalt or concrete.

19882

STEADY (GREEN) : CHARGE COMPLETE
STEADY (RED) : UNDER 80% CHARGED
STEADY (YELLOW) : OVER 80% CHARGED
FLASHING (RED) : FAULT (SEE MANUAL)

FAULT CODES

FLASH-1 : OUTPUT CONNECTION
(OPEN, SHORTED, TOO HIGH,
OR POLARITY REVERSED)
FLASH-2 : CHARGER TIMED OUT
OR BATTERY PACK PROBABLY BAD
FLASH-RED, GREEN (ALTERNATELY) :
WRONG BATTERY TYPE SELECTION

CAUTION:

0417130188

LED'S MUST BE OFF BEFORE
CONNECTING TO AC POWER

1982

Incarcator stivuator 24V 30A (1982) Pret: 300€ fara TVA Se emite factura

STEADY (GREEN) : CHARGE COMPLETE
STEADY (RED) : UNDER 80% CHARGED
STEADY (YELLOW) : OVER 80% CHARGED
FLASHING (RED) : FAULT (SEE MANUAL)

FAULT CODES

FLASH-1 : OUTPUT CONNECTION
(OPEN, SHORTED, TOO HIGH,
OR POLARITY REVERSED)
FLASH-2 : CHARGER TIMED OUT
OR BATTERY PACK PROBABLY BAD
FLASH-RED, GREEN (ALTERNATELY) :
WRONG BATTERY TYPE SELECTION

CAUTION: **0417130188**
LED'S MUST BE OFF BEFORE
CONNECTING TO AC POWER

1982



AQ - TRON HF
BATTERY CHARGER

MODEL	HBF900-24
PART No.	AQHF24-30 FC
INPUT	AUTO SELECTABLE AC INPUT 100-240V 50/60HZ 12.5A
OUTPUT	24V 30A 900WATT

Charging curves for open lead-acid, gel and AGM

Distributed by **BATTERY SUPPLIES N.V.**
Manufactured by Signal Systems
www.batterysupplies.be

 UL 1984
IN CSA C22.2 No. 107.0-00A   

OPERATING STATUS

STEADY (GREEN)	CHARGE COMPLETE
STEADY (RED)	UNDER 80% CHARGED
STEADY (YELLOW)	OVER 80% CHARGED
FLASHING (RED)	FAULT (SEE MANUAL)

FAULT CODES

FLASH 1	OUTPUT CONNECTION (OPEN, SHORTED, TOO HIGH OR POLARITY REVERSED)
FLASH 2	CHARGER TIMED OUT OR BATTERY PACK PROBABLY BAD
FLASH-RED, GREEN (ALTERNATELY)	WRONG BATTERY TYPE SELECTION

CAUTION: **0417130188**
ALL LED'S MUST BE OFF BEFORE
CONNECTING TO AC POWER

1982



AQ - TRON HF
BATTERY CHARGER

MODEL	HBF900-24
PART No.	AQHF24-30 FC
INPUT	AUTO SELECTABLE AC INPUT 100-240V 50/60Hz 12-6A
OUTPUT	24V 30A 800WATT

Charging curves for open lead-acid, gel and AGM

Distributed by BATTERY SUPPLIES N.V.

Manufactured by Signet Systems

www.batterysupplies.be



UL 1064
IEC CBA 020 2 No. 107 2-400





SC Stivuitoare-Lize SRL

Telefon: 0040 744 136 717

Email: office@stivuitoare-lize.ro

Website: <http://stivuitoare-lize.ro/>

Comuna Corunca, Str. Principala, nr. 412-413, judet Mures, Romania