

SC Stivuitoare-Lize SRL

Telefon: 0040 744 136 717


Email: [office@stivuitoare-lize.ro](mailto:office@stivuitoare-lize.ro)

Website: <http://stivuitoare-lize.ro/>

Comuna Corunca, Str. Principala, nr. 412-413, judet Mures, Romania

**Radiator stivuator SN: 3089182 (2046)**

---



56  
55  
54  
53  
52  
51  
50  
49  
48  
47  
46  
45  
44  
43  
42  
41  
40  
39  
38  
37  
36  
35  
34  
33  
32  
31  
30  
29  
28  
27  
26  
25  
24  
23  
22  
21  
20  
19  
18  
17  
16  
15  
14





THE COOLING SYSTEM IS PROTECTED WITH  
COPPER. COMMISSIONING INHIBITED. ANTI-FREEZE TO  
-30°F (-35°C)

2 3 4 5 6 7 8 9 10 11 12 13 14 15  
NYLON COATED





2008  
1.8L



2046






**Radiator stivuiitor SN: 3089182 (2046) Pret: 630€ fara TVA Se emite factura**

Radiator type	vertical	Width without accessories or mounting plates W1 (mm)	80
Position radiator cap	L2	Total length with accessories or mounting plates L2 (mm)	584
Position of input water connection	R	Total height with accessories or mounting plates H2 (mm)	485
Outer diameter of the input water connection D1 (mm)	35.5	Total width with accessories or mounting plates W2 (mm)	139
Position of output water connection	L	Position oil cooler	K2
Outer diameter of the output water connection D2 (mm)	35.5	Center distance between the 2 connections of the oil cooler L4 (mm)	255
Center distance between input and output water connection L3 (mm)	617	Thickness of core of the radiator W3 (mm)	56
Position draincock	23	Center distance of the fins L5 (mm)	10
Length without accessories or mounting plates L1 (mm)	575	Greutate (kg)	10.7
Height without accessories or mounting plates H1 (mm)	450		









SC Stivuitoare-Lize SRL

Telefon: 0040 744 136 717

Email: [office@stivuitoare-lize.ro](mailto:office@stivuitoare-lize.ro)

Website: <http://stivuitoare-lize.ro/>

Comuna Corunca, Str. Principala, nr. 412-413, judet Mures, Romania